

Cassette Serie · 1/1, 3/4, 1/2, Dental Container

1/1, 3/4, 1/2, Dental Containers · Contenedores dentales · Contenitori dentali · Зубные контейнеры



1/1 Voll
1/1 Full
1/1 plein
1/1 completo
1/1 полный
585 x 280

Aus anodisiertem Aluminium werden die Sterilgut Behälter und Deckel gefertigt.
Die Kassettenfilter gibt es in 3 verschiedene Modellen: Bio-Barriere, Ventil und PTFE.
Die Deckel sind in Aluminium und Polymer Ausführung erhältlich.
In 6 verschiedenen Farbvarianten sind die Steril Deckel erhältlich.

3/4 Mittle
3/4 Middle
3/4 contenedor
3/4 contenitore
3/4 средний
465 x 280



The sterile containers and lids are made of anodized aluminum.
The cassette filters are available in 3 different models: Bio-barrier, Valve and PTFE.
The lids are available in aluminum and polymer.
The sterile lids are available in 6 different colors.




1/2 Halb
1/2 Half
1/2 Medio
1/2 Mezzo
1/2 половина
295 x 280



Cassette
Serie

Dental
Dentaire
Odontoiatrico
Стоматология
310 x 190



Cassette
Serie

1/1, 3/4, 1/2, Dental Cassette
1/1, 3/4, 1/2, Dental Cassette






außen · outside	außen · outside	außen · outside	außen · outside	außen · outside
585 x 280 x 105 mm	585 x 280 x 135 mm	585 x 280 x 155 mm	585 x 280 x 205 mm	585 x 280 x 265 mm
innen · inside	innen · inside	innen · inside	innen · inside	innen · inside
550 x 260 x 85 mm	550 x 260 x 115 mm	550 x 260 x 135 mm	550 x 260 x 185 mm	550 x 260 x 245 mm
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
3114 g	3559 g	3699 g	3907 g	4399 g
99-110-100WB	99-110-135WB	99-110-150WB	99-110-200WB	99-110-260WB
99-120-100WB	99-120-135WB	99-120-150WB	99-120-200WB	99-120-260WB
99-130-100WB	99-130-135WB	99-130-150WB	99-130-200WB	99-130-260WB
99-140-100WB	99-140-135WB	99-140-150WB	99-140-200WB	99-140-260WB
99-150-100WB	99-150-135WB	99-150-150WB	99-150-200WB	99-150-260WB
99-160-100WB	99-160-135WB	99-160-150WB	99-160-200WB	99-160-260WB
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
3074 g	3569 g	3659 g	3867 g	4359 g
99-110-100WV	99-110-135WV	99-110-150WV	99-110-200WV	99-110-260WV
99-120-100WV	99-120-135WV	99-120-150WV	99-120-200WV	99-120-260WV
99-130-100WV	99-130-135WV	99-130-150WV	99-130-200WV	99-130-260WV
99-140-100WV	99-140-135WV	99-140-150WV	99-140-200WV	99-140-260WV
99-150-100WV	99-150-135WV	99-150-150WV	99-150-200WV	99-150-260WV
99-160-100WV	99-160-135WV	99-160-150WV	99-160-200WV	99-160-260WV
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
3050 g	3545 g	3635 g	3843 g	4335 g
99-110-100WP	99-110-135WP	99-110-150WP	99-110-200WP	99-110-260WP
99-120-100WP	99-120-135WP	99-120-150WP	99-120-200WP	99-120-260WP
99-130-100WP	99-130-135WP	99-130-150WP	99-130-200WP	99-130-260WP
99-140-100WP	99-140-135WP	99-140-150WP	99-140-200WP	99-140-260WP
99-150-100WP	99-150-135WP	99-150-150WP	99-150-200WP	99-150-260WP
99-160-100WP	99-160-135WP	99-160-150WP	99-160-200WP	99-160-260WP

Cassette
Serie

Boden ungelocht
Bottom non perforated



Aluminium Deckel ungelocht
Aluminium Lid non perforated



Polymer Deckel ungelocht
Polymer Lid non perforated

außen · outside	innen · inside	
585 x 280 x ...	550 x 260 x ...	
gewicht / weight	gewicht / weight	
1623 g	90 / 85 mm	99-105-100W
2119 g	120 / 115 mm	99-105-135W
2208 g	140 / 135 mm	99-105-150W
2417 g	190 / 185 mm	99-105-200W
2908 g	250 / 245 mm	99-105-260W




Bio Barrier	Valve	PTFE
585 x 280 mm	585 x 280 mm	585 x 280 mm
gewicht / weight	gewicht / weight	gewicht / weight
851 g	1151 g	1127 g
99-100-010B	99-100-010V	99-100-010P
99-100-020B	99-100-020V	99-100-020P
99-100-030B	99-100-030V	99-100-030P
99-100-040B	99-100-040V	99-100-040P
99-100-050B	99-100-050V	99-100-050P
99-100-060B	99-100-060V	99-100-060P
Bio Barrier	Valve	PTFE
585 x 280 mm	585 x 280 mm	585 x 280 mm
gewicht / weight	gewicht / weight	gewicht / weight
99-100-010PB	99-100-010PV	99-100-010PP
99-100-020PB	99-100-020PV	99-100-020PP
99-100-030PB	99-100-030PV	99-100-030PP
99-100-040PB	99-100-040PV	99-100-040PP
99-100-050PB	99-100-050PV	99-100-050PP
99-100-060PB	99-100-060PV	99-100-060PP



außen · outside	außen · outside	außen · outside	außen · outside	außen · outside
465 x 280 x 105 mm	465 x 280 x 135 mm	465 x 280 x 155 mm	465 x 280 x 205 mm	465 x 280 x 265 mm
innen · inside	innen · inside	innen · inside	innen · inside	innen · inside
430 x 260 x 85 mm	430 x 260 x 115 mm	430 x 260 x 135 mm	430 x 260 x 185 mm	430 x 260 x 245 mm
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
2558 g	2839 g	2910 g	3092 g	
99-210-100WB	99-210-135WB	99-210-150WB	99-210-200WB	99-210-260WB
99-220-100WB	99-220-135WB	99-220-150WB	99-220-200WB	99-220-260WB
99-230-100WB	99-230-135WB	99-230-150WB	99-230-200WB	99-230-260WB
99-240-100WB	99-240-135WB	99-240-150WB	99-240-200WB	99-240-260WB
99-250-100WB	99-250-135WB	99-250-150WB	99-250-200WB	99-250-260WB
99-260-100WB	99-260-135WB	99-260-150WB	99-260-200WB	99-260-260WB
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
2538 g	2819 g	2890 g	3072 g	
99-210-100WV	99-210-135WV	99-210-150WV	99-210-200WV	99-210-260WV
99-220-100WV	99-220-135WV	99-220-150WV	99-220-200WV	99-220-260WV
99-230-100WV	99-230-135WV	99-230-150WV	99-230-200WV	99-230-260WV
99-240-100WV	99-240-135WV	99-240-150WV	99-240-200WV	99-240-260WV
99-250-100WV	99-250-135WV	99-250-150WV	99-250-200WV	99-250-260WV
99-260-100WV	99-260-135WV	99-260-150WV	99-260-200WV	99-260-260WV
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
2526 g	2807 g	2878 g	3060 g	
99-210-100WP	99-210-135WP	99-210-150WP	99-210-200WP	99-210-260WP
99-220-100WP	99-220-135WP	99-220-150WP	99-220-200WP	99-220-260WP
99-230-100WP	99-230-135WP	99-230-150WP	99-230-200WP	99-230-260WP
99-240-100WP	99-240-135WP	99-240-150WP	99-240-200WP	99-240-260WP
99-250-100WP	99-250-135WP	99-250-150WP	99-250-200WP	99-250-260WP
99-260-100WP	99-260-135WP	99-260-150WP	99-260-200WP	99-260-260WP

Boden ungelocht
Bottom non perforated



Aluminium Deckel ungelocht
Aluminium Lid non perforated



Polymer Deckel ungelocht
Polymer Lid non perforated

außen · outside	innen · inside	
465 x 280 x ...	430 x 260 x ...	
gewicht / weight	gewicht / weight	
1496 g	90 / 85 mm	99-205-100W
1776 g	120 / 115 mm	99-205-135W
1892 g	140 / 135 mm	99-205-150W
2008 g	190 / 185 mm	99-205-200W
	250 / 245 mm	99-205-260W



Bio Barrier	Valve	PTFE
465 x 280 mm	465 x 280 mm	465 x 280 mm
gewicht / weight	gewicht / weight	gewicht / weight
723 g	893 g	881 g
99-200-010B	99-200-010V	99-200-010P
99-200-020B	99-200-020V	99-200-020P
99-200-030B	99-200-030V	99-200-030P
99-200-040B	99-200-040V	99-200-040P
99-200-050B	99-200-050V	99-200-050P
99-200-060B	99-200-060V	99-200-060P
Bio Barrier	Valve	PTFE
465 x 280 mm	465 x 280 mm	465 x 280 mm
gewicht / weight	gewicht / weight	gewicht / weight
99-200-010PB	99-200-010PV	99-200-010PP
99-200-020PB	99-200-020PV	99-200-020PP
99-200-030PB	99-200-030PV	99-200-030PP
99-200-040PB	99-200-040PV	99-200-040PP
99-200-050PB	99-200-050PV	99-200-050PP
99-200-060PB	99-200-060PV	99-200-060PP

Cassette
Serie





Deckel ungelocht
Boden ungelocht
Lid non perforated
Bottom non perforated



Bio Barrier



außen · outside	außen · outside	außen · outside	außen · outside	außen · outside
295 x 280 x 105 mm	295 x 280 x 135 mm	295 x 280 x 155 mm	295 x 280 x 205 mm	295 x 280 x 265 mm
innen · inside	innen · inside	innen · inside	innen · inside	innen · inside
260 x 260 x 85 mm	260 x 260 x 115 mm	260 x 260 x 135 mm	260 x 260 x 185 mm	260 x 260 x 245 mm
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
2034 g	2237 g	2271 g	2391 g	2773 g
99-310-100WB	99-310-135WB	99-310-150WB	99-310-200WB	99-310-260WB
99-320-100WB	99-320-135WB	99-320-150WB	99-320-200WB	99-320-260WB
99-330-100WB	99-330-135WB	99-330-150WB	99-330-200WB	99-330-260WB
99-340-100WB	99-340-135WB	99-340-150WB	99-340-200WB	99-340-260WB
99-350-100WB	99-350-135WB	99-350-150WB	99-350-200WB	99-350-260WB
99-360-100WB	99-360-135WB	99-360-150WB	99-360-200WB	99-360-260WB
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
2014 g	2217 g	2251 g	2371 g	2753 g
99-310-100WV	99-310-135WV	99-310-150WV	99-310-200WV	99-310-260WV
99-320-100WV	99-320-135WV	99-320-150WV	99-320-200WV	99-320-260WV
99-330-100WV	99-330-135WV	99-330-150WV	99-330-200WV	99-330-260WV
99-340-100WV	99-340-135WV	99-340-150WV	99-340-200WV	99-340-260WV
99-350-100WV	99-350-135WV	99-350-150WV	99-350-200WV	99-350-260WV
99-360-100WV	99-360-135WV	99-360-150WV	99-360-200WV	99-360-260WV
gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight	gewicht / weight
2002 g	2205 g	2239 g	2359 g	2741 g
99-310-100WP	99-310-135WP	99-310-150WP	99-310-200WP	99-310-260WP
99-320-100WP	99-320-135WP	99-320-150WP	99-320-200WP	99-320-260WP
99-330-100WP	99-330-135WP	99-330-150WP	99-330-200WP	99-330-260WP
99-340-100WP	99-340-135WP	99-340-150WP	99-340-200WP	99-340-260WP
99-350-100WP	99-350-135WP	99-350-150WP	99-350-200WP	99-350-260WP
99-360-100WP	99-360-135WP	99-360-150WP	99-360-200WP	99-360-260WP

Valve



PTFE



Boden ungelocht
Bottom non perforated




Aluminium Deckel ungelocht
Aluminium Lid non perforated



Polymer Deckel ungelocht
Polymer Lid non perforated

Bio Barrier	Valve	PTFE
295 x 280 mm	295 x 280 mm	295 x 280 mm
gewicht / weight	gewicht / weight	gewicht / weight
458 g	674 g	662 g
99-300-010B	99-300-010V	99-300-010P
99-300-020B	99-300-020V	99-300-020P
99-300-030B	99-300-030V	99-300-030P
99-300-040B	99-300-040V	99-300-040P
99-300-050B	99-300-050V	99-300-050P
99-300-060B	99-300-060V	99-300-060P
Bio Barrier	Valve	PTFE
295 x 280 mm	295 x 280 mm	295 x 280 mm
gewicht / weight	gewicht / weight	gewicht / weight
99-300-010PB	99-300-010PV	99-300-010PP
99-300-020PB	99-300-020PV	99-300-020PP
99-300-030PB	99-300-030PV	99-300-030PP
99-300-040PB	99-300-040PV	99-300-040PP
99-300-050PB	99-300-050PV	99-300-050PP
99-300-060PB	99-300-060PV	99-300-060PP

außen · outside	innen · inside	
295 x 280 x ...	260 x 260 x ...	
gewicht	gewicht	
1196 g	90 / 85 mm	99-305-100W
1348 g	120 / 115 mm	99-305-135W
1427 g	140 / 135 mm	99-305-150W
1547 g	190 / 185 mm	99-305-200W
1917 g	250 / 245 mm	99-305-260W



Deckel ungelocht
Boden ungelocht
Lid non perforated
Bottom non perforated



Bio Barrier



Valve



PTFE




außen · outside	außen · outside	außen · outside
310 x 190 x 90 mm	310 x 190 x 110 mm	310 x 190 x 140 mm
innen · inside	innen · inside	innen · inside
280 x 180 x 80 mm	280 x 180 x 100 mm	280 x 180 x 130 mm
gewicht / weight	gewicht / weight	gewicht / weight
1100 g	1150 g	1212 g
99-510-080AB	99-510-100AB	99-510-135AB
99-520-080AB	99-520-100AB	99-520-135AB
99-530-080AB	99-530-100AB	99-530-135AB
99-540-080AB	99-540-100AB	99-540-135AB
99-550-080AB	99-550-100AB	99-550-135AB
99-560-080AB	99-560-100AB	99-560-135AB
gewicht / weight	gewicht / weight	gewicht / weight
1250 g	1170 g	1192 g
99-510-080AV	99-510-100AV	99-510-135AV
99-520-080AV	99-520-100AV	99-520-135AV
99-530-080AV	99-530-100AV	99-530-135AV
99-540-080AV	99-540-100AV	99-540-135AV
99-550-080AV	99-550-100AV	99-550-135AV
99-560-080AV	99-560-100AV	99-560-135AV
gewicht / weight	gewicht / weight	gewicht / weight
1080 g	1118 g	1370 g
99-510-080AP	99-510-100AP	99-510-135AP
99-520-080AP	99-520-100AP	99-520-135AP
99-530-080AP	99-530-100AP	99-530-135AP
99-540-080AP	99-540-100AP	99-540-135AP
99-550-080AP	99-550-100AP	99-550-135AP
99-560-080AP	99-560-100AP	99-560-135AP



Boden ungelocht
Bottom non perforated

gewicht / weight	innen · inside	Art.Nr. · Codes
414 g	310 x 190 x 80 mm 280 x 180 x 80 mm	99-505-080A
480 g	310 x 190 x 100 mm 280 x 180 x 100	99-505-100A
562 g	310 x 190 x 130 mm 280 x 180 x 130	99-505-135A



Aluminium Deckel ungelocht
Aluminium Lid non perforated

Bio Barrier	Valve	PTFE
310 x 190 mm	310 x 190 mm	310 x 190 mm
gewicht / weight	gewicht / weight	gewicht / weight
450 g	443 g	432 g
99-500-010AB	99-500-010AV	99-500-010AP
99-500-020AB	99-500-020AV	99-500-020AP
99-500-030AB	99-500-030AV	99-500-030AP
99-500-040AB	99-500-040AV	99-500-040AP
99-500-050AB	99-500-050AV	99-500-050AP
99-500-060AB	99-500-060AV	99-500-060AP

Cassette
Serie

